


ROUTER AC1200 DUAL 867MBPS+300MBPS 4P10/100 5DBI FIXED ANTENNA



WR1200E.jpg



ROUTER AC1200 DUAL 867MBPS+300MBPS 4P10/100 5DBI FIXED ANTENNA

Valutazione: Nessuna valutazione

Prezzo

Prezzo di vendita 23,97 €

Sconto

[Fai una domanda su questo prodotto](#)

Produttore [CUDY](#)

Descrizione

Router Wi-Fi dual-band AC1200

WR1200E 1.0

Un router WiFi dual-band con tre porte Fast Ethernet consente una riproduzione fluida di video, giochi e un accesso a Internet massimo di 100 Mbps, con MU-MIMO.

- Wi-Fi dual band a 4 flussi 5
- Wi-Fi 867Mbps + 300Mbps 1

- 4 porte Ethernet veloci
- 40 dispositivi connessi 2
- Copre 100 m² (1.100 piedi²) 3
- Client VPN di WireGuard, OpenVPN, ecc
- Modalità router/AP/RE/WISP/client
- Applicazione Cudy

Quattro porte Ethernet

Una porta WAN più tre porte LAN consentono collegi più dispositivi tramite un cavo Ethernet stabile senza bisogno di un altro switch di rete.

Wi-Fi reattivo e con ampia copertura

MU-MIMO communicates with multiple devices simultaneously and reduce the latency. Beamforming boosts signal towards the connected devices.

Configurazione semplice, gestione versatile

Pannello di stato della rete

Completa la configurazione in pochi minuti e conosci il sistema stato a colpo d'occhio con il pannello di stato.

Gestione dei dispositivi

Imposta l'ora di andare a dormire e una lista nera dei domini su regola il comportamento online dei tuoi figli.

Cliente VPN

PPTP/L2TP/WireGuard/OpenVPN allow you to connect multiple devices at once to your private or commercial VPN.

Sicurezza migliorata

WPA3 crittografia la tua comunicazione wireless e protegge la tua fuga di dati.

Applicazione Cudy

Manage your network from your phone. This model supports local control via the Cudy App.

Specifiche

Versione del modello

WR1200E 1.0

CPU

Chipset MT7628

CPU Details 580 MHz Single-Core, MIPS24KEC

Memory/Storage

Flash/ROM 8 MB (64 Mbit) NOR

DDR/RAM 64 MB (512 Mbit) DDR2

Wireless

5 GHz Wi-Fi Speed 867 Mbps

2.4 GHz Wi-Fi Speed 300 Mbps

5 GHz Wi-Fi Streams 2T2R (2×2 MIMO)

2.4 GHz Wi-Fi Streams 2T2R (2×2 MIMO)

Wi-Fi Antennas 2× Fixed

5 GHz Antenna Gain Max 4.93dBi

2.4 GHz Antenna Gain Max 3.49dBi

FEM or PA/LNA

5 GHz: 2× Internal

2.4 GHz: 2× Internal

Beamforming True

Range Performance

Max: 170 m (558 ft)

Indoor WiFi range varies depending on the layout and wall materials. See Wall Performance spec for placement suggestions.

Wall Performance

One wooden walls with thickness

One concrete wall with thickness

Interfaces

10/100 Mbps RJ45 Ports 4

Ethernet Notes 1× WAN port, the rest are LAN ports

LED System

Physical Buttons

WPS Button

Reset Button

Power Input DC Jack

Power

Power Methods DC

DC 12V 1A

Power Adapter

Input: 100 ~ 240 V, 50/60 Hz AC

Output: 12V 1A DC

Max Power Consumption (W) 8W

Idle Power Consumption (W) 3W

Reliability

Environment

Operating Temperature: 0 ° ~ 40 ° (32 ° ~104 °)

Storage Temperature: -40 ° ~ 70 ° (-40 ° ~ 158 °)

Humidity: 10% ~ 90% non-condensing

Storage Humidity: 5% ~ 95% non-condensing

Certifications FCC, CE

Mechanical

Installation Desktop

Dimension 118×80×27.5 mm

4.65×3.15×1.08 inches

Product Weight 100 g (3.53 oz.)

Package Content

WR1200E

Power Adapter

Ethernet Cable

Installation Guide

Ordering Information

Retail Package Weight 350 g (12.35 oz.)

Retail Package Dimension 176×140.5×56 mm (6.93×5.53×2.2 inches)

Units per Carton 40

Carton Dimension 60×30×37.5 cm (23.62×11.81×14.76 inches)

Carton Gross Weight 15.3 kg (33.73 lbs)

Carton Net Weight 14.4 kg (31.75 lbs)

Software

Versione del modello WR1200E 1.0

Wireless

Wi-Fi Standards Wi-Fi 5

Max Wi-Fi Modulation 256-QAM

Wi-Fi Efficiency MU-MIMO

Wi-Fi Efficiency Note MU-MIMO available on 5 GHz

Max Capacity 128

Recommended Client Upper Limit 40

Max Wi-Fi Channel Width 80 MHz

Wi-Fi Security WPA/WPA2/WPA3

Guest Network 2.4 GHz, 5 GHz

WPS True

General

Operation Modes

Wi-Fi Router

Access Point

Range Extender

WISP

Client

WAN Mode

DHCP

Static IP

PPPOE

PPTP

L2TP

Internet Failover Sequence

WAN

WISP

Network

QoS Per-User Rate Limiting

DHCP

Address Reservation

DHCP Client List

Server

IP Versions

IPv4/IPv6

IPv6 Protocols

Relay

Dynamic (SLAAC/DHCPv6)

Static (Fixed IP)

Passthrough

464XLAT

MAP-E

DS-Lite

IPTV/VLAN

Bridge

Tag VLAN

VoIP VLAN

IPTV VLAN

TTL Customization

Extend

Spoof

Custom

IGMP

IGMP Proxy

IGMP Snooping

Forwarding

Port Forwarding

Port Triggering

UPnP

DMZ

Firewall

SPI Firewall

DoS Protection

Block PING

Application Layer Gateway

IPSec Passthrough

L2TP Passthrough

PPTP Passthrough

FTP Passthrough

TFTP Passthrough

H323 Passthrough

SIP Passthrough

RTSP Passthrough

Utilities

VPN Client

Wireguard

OpenVPN

PPTP

L2TP

VPN Performance WireGuard Client (UL/DL): 49 / 43 Mbps

DNS Options

Manual DNS

Rebind Protection

Override Clients' DNS

Wake on LAN True

Online Detection True

Management

All Devices Management

Wi-Fi Time Schedule

MAC Filter

IP/MAC Binding

Per-Devices Management

Internet On/Off

VPN On/Off

Online Time Schedule

Device Rename

Content Management

Domain Filter

IP Filter

System

LED Control ture

Local Control Method

Config Web Page

App Control

Remote Control Method

TR069/TR098/TR111/TR181

Config Page via HTTP

Firmware Upgrade Local Update

Reliability

Timed Reboot

Backup and Restore

Diagnostic Tools

Diagnosis

Ping

Traceroute

NSLookup

System Log

Languages

English

German

Spanish

French

Hebrew

Italian

Portuguese

Dashboard

Panel

Internet Status

Devices Management

WAN Status

LAN Status

WISP Status

Wi-Fi Status

VPN Status

DHCP Server Status

System Version

Charts

Internet Speed

WISP Speed

Wi-Fi Speed

• | |

—

•
•

[Brand](#)

- [Prodotti](#)
- [Servizi](#)
-

```
function newsearch() { //var sbox = document.getElementById("Search_articoli_searchboxcatalogo").value.replace(/s/g, "").replace(" ", ""); var sbox = document.getElementById("Search_articoli_searchboxcatalogo").value; //replace(" ", ""); if (sbox != "") { //window.location = "/vendita/" + sbox.replace(/[\&:\$%@\(\)\+\,]/g, "") + "?cerca=" + sbox; window.location = "/vendita?cerca=" + encodeURIComponent(sbox); //window.location = "/vendita?cerca=" + escape(sbox); } }
```

—

```
function AddQuotazione(codart) { try { var descrizione = ""; var prezzoweb = ""; var qtarichiasta = ""; var prezzorichiesto = ""; var note = ""; var codicebuyer = $('#codicebuyerquotazione' + codart).text(); descrizione = $.trim($('#descrizioneartquotazione' + codart).text()); prezzoweb = $('#prezzowebartquotazione' + codart).text().replace("€", ""); qtarichiasta = $('#qtarichiastaquotazione' + codart).val().toString(); prezzorichiesto = $('#prezzorichiestquotazione' + codart).val().toString().replace("€", ""); note = $.trim($('#notequotazione' + codart).val()); descrizione = descrizione.replace(/s/g, ""); /*codicebuyer = encodeURIComponent(codicebuyer); descrizione = encodeURIComponent(descrizione); note = encodeURIComponent(note); prezzorichiesto = encodeURIComponent(prezzorichiesto); prezzoweb = encodeURIComponent(prezzoweb);*/ $.ajax({ type: "POST", url: "/scheda_articolo.aspx/AddQuotazione_email", data: '{"codart":"' + codart + '","descrizione":"' + descrizione + '","qtarichiasta":"' + qtarichiasta + '","prezzoweb":"' + prezzoweb + '","prezzorichiesto":"' + prezzorichiesto + '","note":"' + note + '","codicebuyer":"' + codicebuyer + '"', //public static string AddQuotazione_email(string codart, string descrizione, string qtarichiasta, string prezzoweb, string prezzorichiesto, string note, string codicebuyer) //data: '{"codart":"' + codart + '","descrizione":"' + descrizione + '","qtarichiasta":"' + qtarichiasta + '","prezzoweb":"' + prezzoweb + '","prezzorichiesto":"' + prezzorichiesto + '","note":"' + note + '","codicebuyer":"' + codicebuyer + '"', contentType: "application/json; charset=utf-8", dataType: "json", success: function (response) { }, error: function (response) { } }); } catch (err) { console.log(err.message); } } function AddAvviso(codart, denominazione) { try { $.ajax({ type: "POST", url: "/scheda_articolo.aspx/AddAvviso", data: '{"codart":"' + codart + '","denominazione":"' + denominazione + '"', contentType: "application/json; charset=utf-8", dataType: "json", success: function (response) { if (response.d == 'ok') { $(".vetrina_singolo_link_add_avviso" + codart).css('display', 'none'); $(".vetrina_doppio_link_add_avviso" + codart).css('display', 'none'); } if (response.d == 'no') { alert("Impossibile inviare richiesta avviso disponibilità Articolo, reintentare o contattare Amministratore SISTEMA!"); } }, error: function (response) { } }); } catch (err) { console.log(err.message); } } function subtractQtyRitiro() { if (document.getElementById("MainContent_FormViewSchedaArticolo_qtyritiro").value - 1
```

1. [CUDY](#)
2. [NETWORKING](#)
3. [ROUTER](#)
4. [SENZA MODEM](#)
5. [WR1200E](#)

// //